Northfield Township Road District

Tim Rueckert, Highway Commissioner

Lawn Sprinkler Installation Requirements

When applying for a Lawn Sprinkler System permit the following conditions apply to any part of such installation in the public right-of-way or easement

1. The Northfield Township Road District assumes no responsibility or liability because of this installation, and the owners will hold the Township harmless in any action arising therefrom.
2. Existence of the sprinkling system in the public right-of-way or dedicated easement shall not in any way interfere with the right of the Township to excavate therein for repair, maintenance or installation of any public utilities or for any other necessary purpose.
3. The Township will not be required to maintain or replace any of such system as may be damaged by such work or by any other maintenance or construction operation; such as, but not limited to, snow plowing, installation or repair of sidewalk, etc.
4. All sprinkler heads will be so constructed that they will not project above ground level.
5. All sprinkler heads will be so located, shielded, adjusted or directed that they will not sprinkle the public pavement or public sidewalk when in operation.
6. All sprinkler system heads and pipes shall be located a minimum of twenty-four inches (24") from any unimproved road, and six inches (6") from the sidewalk, and should be noted on the plans.
7. Sprinkler system heads and pipes shall be spotted on the sprinkler plans submitted with the application for permit.
8. **The sprinkler plan shall be submitted with the permit application.**